

SPARK PLUGS

All spark plugs carried are not contained in this section. Spark plugs shown here are the Mercury/Mariner Outboard Service recommended replacements at time of printing. View the application charts within this section for specific outboard model recommendations.

Typical Surface Gap Spark Plug



Typical Electrode Style Spark Plug



OUTBOARD SPARK PLUGS (STANDARD)

SPARK PLUG



33- 12127

NGK, BP6HS-10
Priced individually, sold @ multiples of 10

SPARK PLUG



33- 13686Q

NGK, BU8H
Priced individually, sold @ multiples of 10

SPARK PLUG



33- 19424

NGK, BP8HS-15
Priced individually, sold @ multiples of 10

SPARK PLUG



33- 41263M

NGK, B7HS-10
Priced individually, sold @ multiples of 10

SPARK PLUGS

SPARK PLUG



33- 82370M 1

NGK, B6HS
Priced individually, sold @ multiples of 4

SPARK PLUG



33- 82371M

NGK, B7HS
Priced individually, sold @ multiples of 10

SPARK PLUG



33- 84675M

NGK, B5HS
Priced individually, sold @ multiples of 10

SPARK PLUG



33- 97180Q

NGK, BUHW
Priced individually, sold @ multiples of 10

33- 97182Q

NGK, BUHW-2
Priced individually, sold @ multiples of 10

SPARK PLUG



33- 97184

NGK, BP7HS-10
Priced individually, sold @ multiples of 10

SPARK PLUG



33- 97186

NGK, B9HS-10
Priced individually, sold @ multiples of 10

SPARK PLUG



33-813412

NGK, B7FS
Priced individually, sold @ multiples of 10

SPARK PLUG



33-813413

NGK, B7S
Priced individually, sold @ multiples of 10

SPARK PLUG



33-813469

NGK, B6S
Priced individually, sold @ multiples of 10

SPARK PLUG



33-816737Q

NGK, BP8HN-10
Priced individually, sold @ multiples of 10

SPARK PLUG



33-896323

Champion, L82C
Priced individually, sold @ multiples of 4

OUTBOARD SPARK PLUGS - SUPPRESSOR (RESISTOR)

SPARK PLUG



33- 941

Champion, QL77CC
Priced individually, sold @ multiples of 6

SPARK PLUG



33- 14103550

NGK, BUZHW
Priced individually, sold @ multiples of 10

33- 14103568

NGK, BUZ8H
Priced individually, sold @ multiples of 10

33- 14103Q

NGK, BUZHW-2

SPARK PLUG



33- 14814Q

NGK, BPZ8HS-10
Priced individually, sold @ multiples of 10

SPARK PLUGS

SPARK PLUG



33- 14814568

NGK, BPZ8HS-15
Priced individually, sold @ multiples of 10

SPARK PLUG



33-813418

NGK, BR9HS-10
Priced individually, sold @ multiples of 10

SPARK PLUG



33- 17719547

NGK, BPR7HS-10
Priced individually, sold @ multiples of 10

SPARK PLUG



33-813472

NGK, BR6HS
Priced individually, sold @ multiples of 10

33- 19796

NGK, BPR6HS-10
Priced individually, sold @ multiples of 10

SPARK PLUG

SPARK PLUG



33-803507

NGK, DCPR6E
Priced individually, sold @ multiples of 10



33-816837Q

NGK, BPZ8HN-10
Priced individually, sold @ multiples of 10

SPARK PLUG



33-827858Q

NGK, DPR6EA-9
Priced individually, sold @ multiples of 10

SPARK PLUG



33-827859

NGK, CR6HS
Priced individually, sold @ multiples of 10

SPARK PLUG



859495Q

Champion - LFR5A-11
Priced individually, sold @ multiples of 10

SPARK PLUG



33-828942

NGK, BR7HS-10
Priced individually, sold @ multiples of 10

SPARK PLUG



33-881284Q

NGK, LFR6A-11
Priced individually, sold @ multiples of 10

SPARK PLUG



33-843220Q

NGK, LZFR6J
Priced individually, sold @ multiples of 4

SPARK PLUG



33-883323001

Champion, RA8HC
Priced individually, sold @ multiples of 4

SPARK PLUG



33-8M0058936

NGK IZFR6J
25 spark plugs in one shop package.
Priced individually, sold @ multiples of 25

SPARK PLUG



33-889246Q39

NGK, ILFR6GE
Priced individually, sold @ multiples of 4

SPARK PLUGS

SPARK PLUG



33-8M0058934

NGK ILFR6GE
25 spark plugs in one shop package.
Priced individually, sold @ multiples of 25

SPARK PLUG



33-892567Q

NGK IZFR5J
Priced individually, sold @ multiples of 4

SPARK PLUG



33-889597Q

NGK, IZFR5G
Priced individually, sold @ multiples of 4

SPARK PLUG



33-8M0058935

NGK IZFR5J
25 spark plugs in one shop package.
Priced individually, sold @ multiples of 25

SPARK PLUG



33-8M0058933

NGK IZFR5G
25 spark plugs in one shop package.
Priced individually, sold @ multiples of 25

SPARK PLUG



33-896329874

Champion, RL82C
Priced individually, sold @ multiples of 4

SPARK PLUG APPLICATION CHART - FOURSTROKE

Spark Plug Application Chart - FourStroke Outboard

Model	Serial # Range	Standard Spark Plug Mercury Part Number	Standard Spark Plug Manufacturer's No.	Suppressor(resistor) Spark Plug Mercury No.	Suppressor(resistor) Spark Plug Manufacturer's No.	Gap
2.5 FourStroke	JPN 0R131842 and up	N/A	N/A	33-803507	NGK DCPR6E	.033
3.5 FourStroke	JPN 0R131842 and up	N/A	N/A	33-803507	NGK DCPR6E	.033
4 FourStroke	JPN 0R000001 and up	N/A	N/A	33-803507	NGK DCPR6E	.035
4 FourStroke	BEL 0P073456 and up	N/A	N/A	33-803507	NGK DCPR6E	.035
5 FourStroke	JPN 0R000001 and up	N/A	N/A	33-803507	NGK DCPR6E	.035
5 FourStroke	BEL 0P073456 and up	N/A	N/A	33-803507	NGK DCPR6E	.035
6 FourStroke	JPN 0R000001 and up	N/A	N/A	33-803507	NGK DCPR6E	.035

SPARK PLUGS

Model	Serial # Range	Standard Spark Plug Mercury Part Number	Standard Spark Plug Manufacturer's No.	Suppressor(resistor) Spark Plug Mercury No.	Suppressor(resistor) Spark Plug Manufacturer's No.	Gap
6 FourStroke	BEL 0P073456 and up	N/A	N/A	33-803507	NGK DCPR6E	.035
8 FourStroke Bodensee	USA 0H000058 - 0H017349	N/A	N/A	33-827859	NGK CR6HS	.026
8 FourStroke Bodensee	USA 0G760300 - 0T178499	N/A	N/A	33-827859	NGK CR6HS	.026
8 FourStroke Bodensee	BEL 0P086824 - 0P325499	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
8 FourStroke	JPN 0R042475 and up	N/A	N/A	33-803507	NGK DCPR6E	.033
8 FourStroke	BEL 0P325500 and up	N/A	N/A	33-803507	NGK DCPR6E	.033
9.9 FourStroke	USA 0H000058 - 0H016909	N/A	N/A	33-827859	NGK CR6HS	.026
9.9 FourStroke	USA 0G760300 - 0T979999	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
9.9 FourStroke	BEL 0P075166 - 0P325499	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
9.9 FourStroke	JPN 0R042475 and up	N/A	N/A	33-803507	NGK DCPR6E	.033
9.9 FourStroke	BEL 0P325500 and up	N/A	N/A	33-803507	NGK DCPR6E	.033
15 FourStroke, 323cc	USA 0G590000 - 1B727495	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
15 FourStroke, 323cc	BEL 9973100 and up	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
15 FourStroke, 351cc	JPN 0R235949 and up	N/A	N/A	33-803507	NGK DCPR6E	.033
20 FourStroke (Carb)	JPN 0R235168 and up	N/A	N/A	33-803507	NGK DCPR6E	.033
25 FourStroke (Carb)	USA 0G590000 - 1B344298	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
25 FourStroke (Carb)	BEL 9973100 - 0P388282	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
25 FourStroke (EFI)	JPN 0R106999 and up	N/A	N/A	33-803507	NGK DCPR6E	.033
25 FourStroke (EFI)	BEL 0P401000 and up	N/A	N/A	33-803507	NGK DCPR6E	.033
25 Jet, FourStroke	JPN 0R165086 and up	N/A	N/A	33-803507	NGK DCPR6E	.033
30 (Carb) FourStroke	USA 0G760300 - 1B226999	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
30 (Carb) FourStroke	BEL 0P094500 - 0P400999	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
30 (EFI) FourStroke	USA 0T409000 - 1B226999	N/A	N/A	33-883323001	Champion RA8HC	.040
30 (EFI) FourStroke	JPN 0R106999 and up	N/A	N/A	33-803507	NGK DCPR6E	.033
40 (3 cyl. Carb) FourStroke	USA 0G760300 - 1B226999	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
40 (3 cyl. Carb) FourStroke	BEL 0P094500 - 0P400999	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
40 (3 cyl. EFI) FourStroke	USA 0T409000 and up	N/A	N/A	33-883323001	Champion RA8HC	.040
40 (3 cyl. EFI) FourStroke	BEL 0P153500 and up	N/A	N/A	33-883323001	Champion RA8HC	.040
40 (3 cyl. EFI) FourStroke	CHN 1C000001 and up	N/A	N/A	33-883323001	Champion RA8HC	.040
40/45 (4 cyl.) FourStroke	USA 0G231123 - 0T178499	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
40 (4 cyl. Carb) FourStroke	USA 0T228405 - 0T598999	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
40 (4 cyl. Carb) FourStroke	BEL 0P094500 - 0P206999	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
40 (4 cyl. EFI) FourStroke	USA 0T409000 and up	N/A	N/A	33-883323001	Champion RA8HC	.040
40 (4 cyl. EFI) FourStroke	BEL 0P207000 and up	N/A	N/A	33-883323001	Champion RA8HC	.040
40 (4 cyl. EFI) FourStroke	CHN 1C000001 and up	N/A	N/A	33-883323001	Champion RA8HC	.040
40 JET (4 cyl. EFI) FourStroke	CHN 1C051324 and up	N/A	N/A	33-883323001	Champion RA8HC	.040
50 FourStroke	USA 0G231123 - 0T178499	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
50 (Carb) FourStroke	USA 0T178500 - 0T598999	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
50 (Carb) FourStroke	BEL 0P094500 - 0P206999	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
50 (EFI) FourStroke	USA 0T409000 and up	N/A	N/A	33-883323001	Champion RA8HC	.040
50 (EFI) FourStroke	BEL 0P207000 and up	N/A	N/A	33-883323001	Champion RA8HC	.040
50 (EFI) FourStroke	CHN 1C000001 and up	N/A	N/A	33-883323001	Champion RA8HC	.040
60 (Carb) FourStroke	USA 0T178500 - 0T598999	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
60 (Carb) FourStroke	BEL 0P094500 - 0P206999	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
60 (EFI) FourStroke	USA 0T409000 and up	N/A	N/A	33-883323001	Champion RA8HC	.040
60 (EFI) FourStroke	BEL 0P207000 and up	N/A	N/A	33-883323001	Champion RA8HC	.040
60 (EFI) FourStroke	CHN 1C000001 and up	N/A	N/A	33-883323001	Champion RA8HC	.040
75 FourStroke, 1596cc	USA 0G960500 - 1B366822	N/A	N/A	859495Q	NGK LFR5A-11	.043
75 FourStroke	USA 1B366823 and up	N/A	N/A	33-898829001	NGK LFR4A-E	.032
80 FourStroke	USA 1B366823 and up	N/A	N/A	33-898829001	NGK LFR4A-E	.032
80 FourStroke	BEL 0P401000 and up	N/A	N/A	33-898829001	NGK LFR4A-E	.032
90 FourStroke, 1596cc	USA 0G960500 - 1B366822	N/A	N/A	859495Q	NGK LFR5A-11	.043

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

SPARK PLUGS

Model	Serial # Range	Standard Spark Plug Mercury Part Number	Standard Spark Plug Manufacturer's No.	Suppressor(resistor) Spark Plug Mercury No.	Suppressor(resistor) Spark Plug Manufacturer's No.	Gap
90 FourStroke	USA 1B366823 and up	N/A	N/A	33-898829001	NGK LFR4A-E	.032
100 FourStroke	USA 1B366823 and up	N/A	N/A	33-898829001	NGK LFR4A-E	.032
100 FourStroke	BEL 0P401000 and up	N/A	N/A	33-898829001	NGK LFR4A-E	.032
115 (EFI) FourStroke, 1741cc	USA 0T178500 - 1B366822	N/A	N/A	33-881284Q	NGK LFR6A-11	.041
115 (EFI) FourStroke	USA 1B366823 and up	N/A	N/A	33-898829001	NGK LFR4A-E	.032
135 Verado	USA 1B227000 and up	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
135 Verado	BEL 0P419487 and up	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
150 EFI FourStroke	USA 1B905505 and up	N/A	N/A	33-8M0057936	NGK ZFR5F	.032
150 Verado	USA 1B227000 and up	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
150 Verado	BEL 0P419487 and up	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
175 Verado	USA 1B227000 and up	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
175 Verado	BEL 0P464488 and up	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
200 Verado, 4&6 cylinder	USA 0T980000 and up	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
200 Verado, 4&6 cylinder	BEL 0P409357 and up	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
225 (EFI) FourStroke	USA 0T653945 and up	N/A	N/A	859495Q	NGK LFR5A-11	.043
225 Verado	USA 0T980000 and up	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
225 Verado	BEL 0P409357 and up	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
250 Verado	USA 0T980000 and up	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
250 Verado	BEL 0P409357 and up	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
275 Verado	USA 0T980000 and up	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
275 Verado	BEL 0P409357 and up	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
300 Verado	USA 0T980000 and up	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
300 Verado	BEL 0P520553 and up	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
350 Verado	USA 1B718256 and up	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031

SPARK PLUG APPLICATION CHART - 2-CYCLE

Spark Plug Application Chart - 2-Cycle Outboard

Model	Serial # Range	Standard Spark Plug Mercury Part Number	Standard Spark Plug Manufacturer's No.	Suppressor(resistor) Spark Plug Mercury No.	Suppressor(resistor) Spark Plug Manufacturer's No.	Gap
2.2	USA 8075603 and up	N/A	N/A	33- 19796	NGK BPR6HS-10	.040
2.5	0A855097 and up	33- 12127	NGK BP6HS-10	33- 19796	NGK BPR6HS-10	.040
3	0A855097 - 0G710612	N/A	N/A	33- 19796	NGK BPR6HS-10	.040
3.3	0D901217 and up	33- 12127	NGK BP6HS-10	33- 19796	NGK BPR6HS-10	.040
3.5	USA 6202173 and up	33- 12127	NGK BP6HS-10	33- 19796	NGK BPR6HS-10	.040
3.6	USA 5404657 and up	33- 97184	NGK BP7HS-10	33- 17719547	NGK BPR7HS-10	.040
3.6	BEL 9252831 and up	33- 97184	NGK BP7HS-10	33- 17719547	NGK BPR7HS-10	.040
3.6	CAN 7145388 and up	33- 97184	NGK BP7HS-10	33- 17719547	NGK BPR7HS-10	.040
3.9 (39)	1655013 - 2498135	33- 84675M	NGK B5HS	N/A	N/A	.025
4 (40)(1 cyl.)	2498136 - 2771621	33- 84675M	NGK B5HS	N/A	N/A	.030
4 (40)(1 cyl.)	2771622 - 0A809600	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	
4 (40)(2 cyl.) Gnat	BEL 9075839 - 9256980	33- 82370M 1	NGK B6HS	33-813472	NGK BR6HS	.050
4 (40)(2 cyl.) Gnat	CAN 7085673 - 7146487	33- 82370M 1	NGK B6HS	33-813472	NGK BR6HS	.050
4 (40)(2 cyl.)	USA 5589202 - 5595531	33- 97184	NGK BP7HS-10	33- 17719547	NGK BPR7HS-10	.040
4 (40)(2 cyl.)	AUS 8065265 - 8068064	33- 97184	NGK BP7HS-10	33- 17719547	NGK BPR7HS-10	.040
4 (40)(2 cyl.)	BEL 9256981 - 9258280	33- 97184	NGK BP7HS-10	33- 17719547	NGK BPR7HS-10	.040
4 (40)(2 cyl.)	CAN 7146488 - 7143687	33- 97184	NGK BP7HS-10	33- 17719547	NGK BPR7HS-10	.040
4 (1 cyl.)	USA 0A809601 and up	33- 97184	NGK BP7HS-10	33- 17719547	NGK BPR7HS-10	.040
4 (1 cyl.)	BEL 9477830 and up	33- 97184	NGK BP7HS-10	33- 17719547	NGK BPR7HS-10	.040
4.5 (45)(1 cyl.)	USA 4107220 - 0A809600	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	
4.5 (45)(1 cyl.)	AUS 8026540 and up	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	
4.5 (45)(1 cyl.)	BEL 9072179 - 9477829	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	

SPARK PLUGS

Model	Serial # Range	Standard Spark Plug Mercury Part Number	Standard Spark Plug Manufacturer's No.	Suppressor(resistor) Spark Plug Mercury No.	Suppressor(resistor) Spark Plug Manufacturer's No.	Gap
4.5 (45)(1 cyl.)	CAN 7045758 and up	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2	
5 (1 cyl.)	USA 0A809601 and up	33-97184	NGK BP7HS-10	33-17719547	NGK BPR7HS-10	.040
5 (1 cyl.)	BEL 9477830 and up	33-97184	NGK BP7HS-10	33-17719547	NGK BPR7HS-10	.040
6 (60)	USA 14086111 - 2126763	33-813469	NGK B6S	N/A	N/A	.025
6 (60)	CAN 1958792 - 2096170	33-813469	NGK B6S	N/A	N/A	.025
6 (60)(60J)	USA 2126764 and up	33-82370M 1	NGK B6HS	33-813472	NGK BR6HS	.030
6 (60)(60J)	CAN 2096171 and up	33-82370M 1	NGK B6HS	33-813472	NGK BR6HS	.030
6	USA 0A197112 - 0T800749	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
6	BEL 9461526 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
7.5 (75)	2529895 - 3801457	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2	
7.5 (75)	USA 3801458 - 4851692	33-97180Q	NGK BUHW	33-14103550	NGK BUZHW	
7.5 (75)	AUS 8015315 - 8051349	33-97180Q	NGK BUHW	33-14103550	NGK BUZHW	
7.5 (75)	BEL 9043194 - 9181725	33-97180Q	NGK BUHW	33-14103550	NGK BUZHW	
7.5 (75)	CAN 7028598 - 7111897	33-97180Q	NGK BUHW	33-14103550	NGK BUZHW	
7.5 (75)	USA 4851693 - 5226934	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2	
7.5 (75)	AUS 8051350 - 8058019	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2	
7.5 (75)	BEL 9181726 - 9219255	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2	
7.5 (75)	CAN 7111898 - 7136037	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2	
7.5	USA 5206550 and up	33-97186	NGK B9HS-10	33-813418	NGK BR9HS-10	.040
7.5	AUS 8057545 and up	33-97186	NGK B9HS-10	33-813418	NGK BR9HS-10	.040
7.5	BEL 9217756 and up	33-97186	NGK B9HS-10	33-813418	NGK BR9HS-10	.040
7.5	CAN 7125388 and up	33-97186	NGK B9HS-10	33-813418	NGK BR9HS-10	.040
8	USA 0A197112 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
8	BEL 9461526 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
9.8 (110)	1470349 - 2098351	33-813469	NGK B6S	N/A	N/A	.025
9.8 (110)	2098352 - 2798056	33-82371M	NGK B7HS	N/A	N/A	.030
9.8 (110)	2798057 - 3795657	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2	
9.8 (110)	USA 3795658 - 4839253	33-97180Q	NGK BUHW	33-14103550	NGK BUZHW	
9.8 (110)	AUS 8015040 - 8050624	33-97180Q	NGK BUHW	33-14103550	NGK BUZHW	
9.8 (110)	BEL 9041439 - 9165304	33-97180Q	NGK BUHW	33-14103550	NGK BUZHW	
9.8 (110)	CAN 7027323 - 7111347	33-97180Q	NGK BUHW	33-14103550	NGK BUZHW	
9.8 (110)	USA 4839254 - 5206549	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2	
9.8 (110)	AUS 8050625 - 8057544	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2	
9.8 (110)	BEL 9165303 - 9217755	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2	
9.8 (110)	CAN 7111348 - 7125387	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2	
9.8	USA 5206550 and up	33-97186	NGK B9HS-10	33-813418	NGK BR9HS-10	.040
9.8	AUS 8057545 and up	33-97186	NGK B9HS-10	33-813418	NGK BR9HS-10	.040
9.8	BEL 9217756 and up	33-97186	NGK B9HS-10	33-813418	NGK BR9HS-10	.040
9.8	CAN 7125388 and up	33-97186	NGK B9HS-10	33-813418	NGK BR9HS-10	.040
9.9	USA 0A197112 - 0G112449	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
9.9	BEL 9461526 - 9831799	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
9.9	USA 0G112450 and up	33-19424	NGK BP8HS-15	33-14814568	NGK BPZ8HS-15	.060
9.9	BEL 9831800 and up	33-19424	NGK BP8HS-15	33-14814568	NGK BPZ8HS-15	.060
10 (100)	1290910 - 1499331	33-813469	NGK B6S	N/A	N/A	.025
10 (XR10/SEA PRO 10)	USA 0D038000 and up	33-19424	NGK BP8HS-15	33-14814568	NGK BPZ8HS-15	.060
10 (XR10/SEA PRO 10)	BEL 9596000 and up	33-19424	NGK BP8HS-15	33-14814568	NGK BPZ8HS-15	.060
10 Magnum/Marathon	USA 0D038000 and up	33-19424	NGK BP8HS-15	33-14814568	NGK BPZ8HS-15	.060
10 Magnum/Marathon	BEL 9596000 and up	33-19424	NGK BP8HS-15	33-14814568	NGK BPZ8HS-15	.060
15 (150)	1290910 - 1499331	33-813469	NGK B6S	N/A	N/A	.025
15	USA 0B292414 and up	33-19424	NGK BP8HS-15	33-14814568	NGK BPZ8HS-15	.060
15	BEL 9542620 and up	33-19424	NGK BP8HS-15	33-14814568	NGK BPZ8HS-15	.060
15 Sea Pro/Marathon	USA 0G044365 - 0G437999	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
15 Sea Pro/Marathon	USA 0G438000 and up	33-19424	NGK BP8HS-15	33-14814568	NGK BPZ8HS-15	.060

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office. 43

SPARK PLUGS

Model	Serial # Range	Standard Spark Plug Mercury Part Number	Standard Spark Plug Manufacturer's No.	Suppressor(resistor) Spark Plug Mercury No.	Suppressor(resistor) Spark Plug Manufacturer's No.	Gap
15 Sea Pro/Marathon	BEL 9927000 and up	33- 19424	NGK BP8HS-15	33- 14814568	NGK BPZ8HS-15	.060
15 Sea Pro XD	BEL 9927000 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
15 (Super 15)	USA 0B238464 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
15 (Super 15)	BEL 9507381 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
15 (Super 15)	CAN 0A730007 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
18 (18, 18XD)	USA 5837437 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
18 (18, 18XD)	AUS 8071973 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
18 (18, 18XD)	BEL 9308306 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
20 (200)	1290910 - 1499331	33-813469	NGK B6S	N/A	N/A	.025
20 (200)	1558310 - 2094830	33-813469	NGK B6S	N/A	N/A	.025
20 (200)	2094831 - 2827676	33- 82371M	NGK B7HS	N/A	N/A	.030
20 (20, 200)	USA 2827677 - 6443972	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	
20 (20, 200)	AUS 8006265 and up	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	
20 (20, 200)	BEL 9016254 - 9415100	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	
20 (20, 200)	CAN 7012358 - 7209532	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	
20 (20, 20XD)	USA 6443973 - 0T800749	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
20 (20, 20XD)	BEL 9415101 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
20 (20, 20XD)	CAN 7209533 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
20 JET	USA 5705532 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
20 JET	AUS 8073158 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
20 JET	BEL 9315316 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
20 JET	CAN 7166928 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
25 (250)	1290910 - 1499331	33-813469	NGK B6S	N/A	N/A	.025
25 (25, 25XD, 20 JET)	USA 5705532 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
25 (25, 25XD, 20 JET)	AUS 8073158 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
25 (25, 25XD, 20 JET)	BEL 9315316 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
25 (25, 25XD, 20 JET)	CAN 7166928 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
25 LIGHTNING(3 cyl)	USA 0E268781 and up	33-896323	Champion L82C	33-896329874	Champion RL82C	.035
30 (300)	1271884 - 1960826	33-813469	NGK B6S	N/A	N/A	.025
30 (2 cyl.)644cc	USA 0G053314 - 0T598999	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
30 (2 cyl.)644cc	BEL 9854537 - 0P206999	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
30 (Lightning)430cc	USA 0G575500 and up	33- 41263M	NGK B7HS-10	33-828942	NGK BR7HS-10	.040
30 JET (4 cylinder)	USA 0C159200 - 0G589999	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	
30 JET (4 cylinder)	BEL 9570790 - 9973099	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	
30 JET (3 cylinder)	USA 0G590000 - 0T178499	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
30 JET (3 cylinder)	BEL 9973100 - 0P094499	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
35 (350, 35A)	1271884 - 1960826	33-813469	NGK B6S	N/A	N/A	.025
35 (350)	1960827 - 2097831	33-813413	NGK B7S	N/A	N/A	.025
35 (350)	2097832 - 2874703	33- 82371M	NGK B7HS	N/A	N/A	.030
35	USA 6445653 and up	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
35	BEL 9384476 and up	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
35	CAN 7209608 and up	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
40 (400)	1279685 - 1476509	33-813469	NGK B6S	N/A	N/A	.025
40 (40, 400, 402)	USA 2874704 - 0G053313	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
40 (40, 400, 402)	AUS 8002335 and up	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
40 (40, 400, 402)	BEL 3339688 and up	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
40 (40, 400, 402)	CAN 3340783 and up	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
40 (2 cyl.)	USA 0G053314 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
40 (3 cyl.)	USA 0G531301 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
40 (3 cyl.)	BEL 9973100 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
40 (4 cyl.)	USA 0C159200 and up	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	
40 (4 cyl.)	BEL 9570790 and up	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	

SPARK PLUGS

Model		Serial # Range	Standard Spark Plug Mercury Part Number	Standard Spark Plug Manufacturer's No.	Suppressor(resistor) Spark Plug Mercury No.	Suppressor(resistor) Spark Plug Manufacturer's No.	Gap
40 JET	USA	0T178500 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BP28H-N-10	.040
40 JET	BEL	0P094500 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BP28H-N-10	.040
45 (450)		1476510 - 1531568	33-813469	NGK B6S	N/A	N/A	.025
45 (4 cyl.)	USA	5531630 and up	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	
45 (4 cyl.)	AUS	8063985 and up	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	
45 (4 cyl.)	BEL	9248006 and up	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	
45 (4 cyl.)	CAN	7143688 and up	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	
45 JET	USA	0G760300 - 0T129554	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BP28H-N-10	.040
45 JET	BEL	0P017000 - 0P094499	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BP28H-N-10	.040
50 (500)	USA	1421113 - 2097444	33-813469	NGK B6S	N/A	N/A	.025
50 (500)	CAN	1770179 - 2116317	33-813469	NGK B6S	N/A	N/A	.025
50 (500)	USA	2097445 - 4357639	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
50 (500)	AUS	2863739 - 8029514	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
50 (500)	BEL	9001581 - 9107213	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
50 (500)	CAN	2116318 - 7068997	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
50 (50, 500)(4 cyl.)	USA	4357640 and up	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	
50 (50, 500)(4 cyl.)	AUS	8030090 and up	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	
50 (50, 500)(4 cyl.)	BEL	9107214 and up	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	
50 (50, 500)(4 cyl.)	CAN	7068998 and up	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	
50 (3 cyl.)	USA	6428681 - 0D000749	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
50 (3 cyl.)	BEL	9385911 - 9683054	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
50 (3 cyl.)	CAN	7208333 and up	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
50 (3 cyl.)	USA	0D000750 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BP28H-N-10	.040
50 (3 cyl.)	BEL	9683055 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BP28H-N-10	.040
55 (3 cyl.)	USA	0D000750 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BP28H-N-10	.040
55 (3 cyl.)	BEL	9741042 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BP28H-N-10	.040
60 (600)		1303411 - 1542744	33-813469	NGK B6S	N/A	N/A	.025
60 (3 cyl.)	USA	6428681 - 0D000749	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
60 (3 cyl.)	BEL	9385911 - 9683054	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
60 (3 cyl.)	CAN	7208333 and up	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
60 (3 cyl.)	USA	0D000750 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BP28H-N-10	.040
60 (3 cyl.)	BEL	9683055 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BP28H-N-10	.040
65 (650)(4 cyl.)		1542745 - 2119748	33-813413	NGK B7S	N/A	N/A	.025
65 (650S)(4 cyl.)		2119749 - 2309310	33- 82371M	NGK B7HS	N/A	N/A	.030
65 (650SS)(4 cyl.)		2119749 - 2309310	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
65 (650)(3 cyl.)	USA	3293184 - 4571651	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
65 (650)(3 cyl.)	AUS	8006640 and up	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
65 (650)(3 cyl.)	BEL	9020074 - 9135824	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
65 (650)(3 cyl.)	CAN	7013633 - 7087822	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
65 JET	USA	0D283222 and up	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	
65 JET	BEL	9793577 and up	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	
70 (700)		1296411 - 1566239	33-813469	NGK B6S	N/A	N/A	.025
70 (3 cyl.)	USA	4571652 - 6428680	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
70 (3 cyl.)	AUS	8042350 and up	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
70 (3 cyl.)	BEL	9135825 - 9385910	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
70 (3 cyl.)	CAN	7087823 - 7208332	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
70 (3 cyl.)	USA	0A996142 - 0C221999	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	
70 (3 cyl.)	BEL	9483121 - 9589038	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	
75 (4 cyl.)	USA	6432907 and up	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	
75 (4 cyl.)	BEL	9393856 and up	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	
75 (4 cyl.)	CAN	7208573 and up	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office. 45

SPARK PLUGS

Model	Serial # Range	Standard Spark Plug Mercury Part Number	Standard Spark Plug Manufacturer's No.	Suppressor(resistor) Spark Plug Mercury No.	Suppressor(resistor) Spark Plug Manufacturer's No.	Gap
75 (3 cyl.)	USA 0C222000 and up	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	
75 (3 cyl.)	BEL 9589039 and up	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	
75 (3 cyl.)(1.5L Optimax)	USA 0T980000 and up	N/A	N/A	33-892567Q	NGK IZFR5J	.032
80 (800)(6 cyl.)	1335465 - 1566239	33-813413	NGK B7S	N/A	N/A	.025
80 (800)(4 cyl.)	2559001 - 3493912	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
80 (80, 800)(4 cyl.)	USA 4831999 - 6432900	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	
80 (80, 800)(4 cyl.)	AUS 8050200 and up	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	
80 (80, 800)(4 cyl.)	BEL 9177626 - 9393855	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	
80 (80, 800)(4 cyl.)	CAN 7110998 - 7208572	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	
80 (3 cyl.)	USA 0A996142 - 0C221999	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	
80 (3 cyl.)	BEL 9483121 - 9589038	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	
80 JET	USA 0D283222 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
80 JET	BEL 9793577 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
85 (850)(6 cyl.)	1460999 - 1766823	33-813413	NGK B7S	N/A	N/A	.025
85 (850)(4 cyl.)	USA 3493913 - 4831998	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
85 (850)(4 cyl.)	AUS 8005440 - 8050199	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
85 (850)(4 cyl.)	BEL 9011604 - 9177625	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
85 (850)(4 cyl.)	CAN 7010108 - 7110997	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
90 (900)	1766824 - 1869775	33-813413	NGK B7S	N/A	N/A	.025
90 (90, 900)(6 cyl.)	USA 4845301 and up	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
90 (90, 900)(6 cyl.)	AUS 8060545 and up	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
90 (90, 900)(6 cyl.)	CAN 7111698 and up	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
90 (3 cyl.)	USA 0A996142 and up	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	
90 (3 cyl.)	BEL 9483121 and up	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	
90 (3 cyl.)(1.5L Optimax)	USA 0T801000 and up	N/A	N/A	33-892567Q	NGK IZFR5J	.032
95 (950)	1869776 - 1962186	33- 82371M	NGK B7HS	N/A	N/A	.030
95 (950)	1962187 - 2318585	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
100 (1000)	1464949 - 2318585	33-813413	NGK B7S	N/A	N/A	.025
100 (1000SS/1000BP)	2318586 - 3253111	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
100 (4 cyl.)	USA 0B209468 - 0G960499	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
100 (4 cyl.)	BEL 9523034 - 0P058999	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
110 (1100)	1870204 - 1962661	33- 82371M	NGK B7HS	N/A	N/A	.030
110 (1100)	1962662 - 2314955	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
115 (115, 1150)(6 cyl.)	USA 2836019 and up	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
115 (115, 1150)(6 cyl.)	AUS 8008665 and up	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
115 (115, 1150)(6 cyl.)	CAN 7010763 and up	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
115 (4 cyl.)	USA 0C100000 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
115 (4 cyl.)	BEL 9559771 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
115 (3 cyl.)(1.5L Optimax)	USA 0T801000 and up	N/A	N/A	33-892567Q	NGK IZFR5J	.032
115 Pro XS	USA 1B751825 and up	N/A	N/A	33-892567Q	NGK IZFR5J	.032
125 (1250)(6 cyl.)	2314956 - 3253111	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
125 (4 cyl.)	USA 0D283222 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
125 (4 cyl.)	BEL 9793577 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
135 (1350)(6 cyl.)	2839369 - 3293233	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
140 (140, 1400)(6 cyl.)	USA 3293234 and up	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
140 (140, 1400)(6 cyl.)	AUS 8052650 and up	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
140 (140, 1400)(6 cyl.)	CAN 7112773 and up	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
150 (1500)(6 cyl.)	USA 3502806 - 4865677	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
150 (1500)(6 cyl.)	AUS 8005615 - 8052649	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
150 (1500)(6 cyl.)	CAN 7010533 - 7112772	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
V-135	USA 0A904646 and up	33- 13686Q	NGK BU8H	33- 14103568	NGK BUZ8H	
V-135 DFI	USA 0G590000 and up	N/A	N/A	33-889597Q	NGK IZFR5G	.032
V-150 (150, 1500) Carb	USA 4868998 - 0G960499	33- 13686Q	NGK BU8H	33- 14103568	NGK BUZ8H	

SPARK PLUGS

MERCURY®OUTBOARDS

Model		Serial # Range	Standard Spark Plug Mercury Part Number	Standard Spark Plug Manufacturer's No.	Suppressor(resistor) Spark Plug Mercury No.	Suppressor(resistor) Spark Plug Manufacturer's No.	Gap
V-150 (150, 1500) Carb	USA	0G960500 and up	N/A	N/A	33- 14814Q	NGK BPZ8HS-10	.040
V-150 EFI	USA	0D082000 - 0G960499	33- 13686Q	NGK BU8H	33- 14103568	NGK BUZ8H	
V-150 EFI	USA	0G960500 and up	N/A	N/A	33- 14814Q	NGK BPZ8HS-10	.040
V-150 (XR2/4/6/Magnum II/III)	USA	4868998 - 0G960499	33- 13686Q	NGK BU8H	33- 14103568	NGK BUZ8H	
V-150 (XR2/4/6/Magnum II/III)	USA	0G960500 and up	N/A	N/A	33- 14814Q	NGK BPZ8HS-10	.040
V-150 DFI	USA	0G590000 and up	N/A	N/A	33-889597Q	NGK IZFR5G	.032
V-150 ProXS	USA	1B690542 and up	N/A	N/A	33-843220Q	NGK IZFR6G	.042
V-175 (175, 1750) Carb	USA	4301235 - 0G960499	33- 13686Q	NGK BU8H	33- 14103568	NGK BUZ8H	
V-175 (175, 1750) Carb	AUS	8058870 and up	33- 13686Q	NGK BU8H	33- 14103568	NGK BUZ8H	
V-175 EFI	USA	0D000750 - 0G960499	33- 13686Q	NGK BU8H	33- 14103568	NGK BUZ8H	
V-175 EFI	USA	0G960500 - 0T800999	N/A	N/A	33- 14814Q	NGK BPZ8HS-10	.040
V-175 DFI	USA	0T178500 and up	N/A	N/A	33-889597Q	NGK IZFR5G	.032
V-175 Pro XS	USA	1B516339 and up	N/A	N/A	33-843220Q	NGK IZFR6G	.042
V-200 (200, 2000) Carb	USA	4839034 - 0G960499	33- 13686Q	NGK BU8H	33- 14103568	NGK BUZ8H	
V-200 (200, 2000) Carb	AUS	8061595 - 8065672	33- 13686Q	NGK BU8H	33- 14103568	NGK BUZ8H	
V-200 (200, 2000) Carb	USA	0G960500 and up	N/A	N/A	33- 14814Q	NGK BPZ8HS-10	.040
V-200 EFI	USA	0C100861 - 0C291520	N/A	N/A	33- 14103568	NGK BUZ8H	
V-200 EFI	USA	0C291521 - 0G960499	33- 13686Q	NGK BU8H	33- 14103568	NGK BUZ8H	
V-200 EFI (2.5L)	USA	0G960500 and up	N/A	N/A	33- 14814Q	NGK BPZ8HS-10	.040
V-200 EFI (3.0L)	USA	0T750164 and up	N/A	N/A	33- 941	Champion QL77CC	.040
V-200 DFI	USA	0G386496 and up	N/A	N/A	33-889597Q	NGK IZFR5G	.032
V-200 Pro XS	USA	1B504989 and up	N/A	N/A	33-889597Q	NGK IZFR5G	.032
V-220 Laser	USA	0B117316 and up	N/A	N/A	33- 14103568	NGK BUZ8H	
V-225 (2.4L)	USA	5628028 and up	33- 13686Q	NGK BU8H	33- 14103568	NGK BUZ8H	
V-225 (3.0L)Carb	USA	0D280813 - 0G437999	N/A	N/A	33-816837Q	NGK BPZ8H-N-10	.040
V-225 (3.0L)Carb	USA	0G438000 and up	N/A	N/A	33- 941	Champion QL77CC	.035
V-225 Sea Pro & Marathon	USA	0G245605 and up	N/A	N/A	33- 941	Champion QL77CC	.035
V-225 EFI(3.0L)	USA	0G129222 and up	N/A	N/A	33- 941	Champion QL77CC	.035
V-225 DFI	USA	0G590000 and up	N/A	N/A	33-889597Q	NGK IZFR5G	.032
V-225 DFI (DTS)	USA	0G599000 and up	N/A	N/A	33-889597Q	NGK IZFR5G	.032
V-225 Pro XS	USA	1B104549 and up	N/A	N/A	33-843220Q	NGK IZFR6J	.042
V-250 (3.4L)	USA	0C101891 and up	33- 13686Q	NGK BU8H	33- 14103568	NGK BUZ8H	
V-250 EFI (3.0L)	USA	0G129222 and up	N/A	N/A	33- 941	Champion QL77CC	.035
V-250 DFI (3.0L)	USA	1B528615 and up	N/A	N/A	33-843220Q	NGK IZFR6J	.042
V-250 Pro XS	USA	1B426561 and up	N/A	N/A	33-843220Q	NGK IZFR6J	.042
V-275 (3.4L)	USA	0C101891 and up	33- 13686Q	NGK BU8H	33- 14103568	NGK BUZ8H	
V-300 (3.4L)	USA	5611648 and up	33- 13686Q	NGK BU8H	33- 14103568	NGK BUZ8H	

SPARK PLUG APPLICATION CHART - EARLY MARINER

Spark Plug Application Chart - Early Mariner

Model	SN Code	Serial # Range	Standard Spark Plug Manufacturer's P/N	Standard Spark Plug Mercury P/N	Suppressor(Resistor) Spark Plug Manufacturer's P/N	Suppressor(Resistor) Spark Plug Mercury P/N	Gap
2A (M)	646	ALL - ALL	B6HS	33- 82370M 1	BR6HS	33-813472	.024
2B (M)	6A1	000101 - 011600	B6HS	33- 82370M 1	BR6HS	33-813472	.024
2B (M)	6A1	011601 and up	B5HS	33- 84675M	BR5HS	N/A	.024
3.5 (M)	642	00000 - 23740	B7HS	33- 82371M	BR7HS	N/A	.024
3.5 (ML)	642	00000 - 41690	B7HS	33- 82371M	BR7HS	N/A	.024
3.5 (M)	642	23741 and up	B6HS	33- 82370M 1	BR6HS	33-813472	.024
3.5 (ML)	642	41691 and up	B6HS	33- 82370M 1	BR6HS	33-813472	.024
4A (M, ML)	6E0	ALL - ALL	B7HS	33- 82371M	BR7HS	N/A	.024
5A (M, ML)	661	ALL - ALL	B7HS	33- 82371M	BR7HS	N/A	.024

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

SPARK PLUGS

Model	SN Code	Serial # Range	Standard Spark Plug Manufacturer's P/N	Standard Spark Plug Mercury P/N	Suppressor(Resistor) Spark Plug Manufacturer's P/N	Suppressor(Resistor) Spark Plug Mercury P/N	Gap
5C (M, ML)	6E3	ALL - ALL	B7HS	33- 82371M	BR7HS	N/A	.024
6C (M, ML)	6H8	ALL - ALL	B7HS-10	33- 41263M	BR7HS-10	N/A	.039
6D (M, ML)	6H6	ALL - ALL	B7HS-10	33- 41263M	BR7HS-10	N/A	.039
8A (M, ML)	655	ALL - ALL	B6HS	33- 82370M 1	BR6HS	33-813472	.024
8B (M, ML)	677	ALL - ALL	B7HS	33- 82371M	BR7HS	N/A	.024
W8(M, ML)	677	ALL - ALL	B7HS	33- 82371M	BR7HS	N/A	.024
8 Marathon	677	ALL - ALL	B7HS	33- 82371M	BR7HS	N/A	.024
K8 (M, ML)	680	ALL - ALL	B6HS	33- 82370M 1	BR6HS	33-813472	.024
8C (M, ML, MUL)	6G1	ALL - ALL	B7HS-10	33- 41263M	BR7HS-10	N/A	.039
9.9C (M)	682	000551 - 032885	B7HS	33- 82371M	BR7HS	N/A	.024
9.9C (ML)	682	300826 - 338410	B7HS	33- 82371M	BR7HS	N/A	.024
9.9C (E)	682	250101 - 250945	B7HS	33- 82371M	BR7HS	N/A	.024
9.9C (EL)	682	550141 - 552315	B7HS	33- 82371M	BR7HS	N/A	.024
9.9C (M)	682	032886 and up	B7HS-10	33- 41263M	BR7HS-10	N/A	.039
9.9C (ML)	682	338411 and up	B7HS-10	33- 41263M	BR7HS-10	N/A	.039
9.9C (E)	682	250946 and up	B7HS-10	33- 41263M	BR7HS-10	N/A	.039
9.9C (EL)	682	552316 and up	B7HS-10	33- 41263M	BR7HS-10	N/A	.039
15A (M, ML)	651	ALL - ALL	B7HS	33- 82371M	BR7HS	N/A	.024
15C (M)	684	000101 - 020025	B7HS	33- 82371M	BR7HS	N/A	.024
15C (ML)	684	300101 - 316415	B7HS	33- 82371M	BR7HS	N/A	.024
15C (E)	684	250101 - 251060	B7HS	33- 82371M	BR7HS	N/A	.024
15C (EL)	684	550101 - 551615	B7HS	33- 82371M	BR7HS	N/A	.024
15C (M)	684	020026 and up	B7HS-10	33- 41263M	BR7HS-10	N/A	.039
15C (ML)	684	316416 and up	B7HS-10	33- 41263M	BR7HS-10	N/A	.039
15C (E)	684	251061 and up	B7HS-10	33- 41263M	BR7HS-10	N/A	.039
15C (EL)	684	551616 and up	B7HS-10	33- 41263M	BR7HS-10	N/A	.039
W15	662	ALL - ALL	B7HS	33- 82371M	BR7HS	N/A	.024
W15B	684	ALL - ALL	B7HS	33- 82371M	BR7HS	N/A	.024
W15(Marathon)(M,ML, MUL)	684	ALL - ALL	B7HS-10	33- 41263M	BR7HS-10	N/A	.039
K15 (M, ML)	669	ALL - ALL	B6HS	33- 82370M 1	BR6HS	33-813472	.024
K15 (M, ML)	6K4	ALL - ALL	B7HS-10	33- 41263M	BR7HS-10	N/A	.039
K15 (M, ML)	6M7	ALL - ALL	B7HS-10	33- 41263M	BR7HS-10	N/A	.039
20A (M, ML)	653	ALL - ALL	B6HS	33- 82370M 1	BR6HS	33-813472	.024
20C (M, ML, E, EL)	6A9	ALL - ALL	B7HS	33- 82371M	BR7HS	N/A	.024
25A (M, ML, E, EL)	648	ALL - ALL	B7HS	33- 82371M	BR7HS	N/A	.024
25C (M, ML, E, EL)	695	ALL - ALL	B7HS	33- 82371M	BR7HS	N/A	.024
W25 (M, ML)	648	ALL - ALL	B7HS	33- 82371M	BR7HS	N/A	.024
W25 (M, ML)	695	ALL - ALL	B7HS	33- 82371M	BR7HS	N/A	.024
W25 (Marathon)(M, ML)	694	ALL - ALL	B7HS	33- 82371M	BR7HS	N/A	.024
K25 (M, ML)	6A4	ALL - ALL	B7HS	33- 82371M	BR7HS	N/A	.024
28 (M, ML, E, EL)	664	ALL - ALL	B7HS	33- 82371M	BR7HS	N/A	.024
30A (M, ML, E, EL)	689	ALL - ALL	B7HS	33- 82371M	BR7HS	N/A	.024
W30 (Marathon)(M, ML)	689	ALL - ALL	B7HS	33- 82371M	BR7HS	N/A	.024
40A (M, ML, E, EL)	676	ALL - ALL	B8HS	33- 82372M	BR8HS	N/A	.024
40B (M, ML, E, EL)	676	ALL - ALL	B8HS	33- 82372M	BR8HS	N/A	.024
40C (M, ML, E, EL)	6E9	ALL - ALL	B8HS	33- 82372M	BR8HS	N/A	.024
W40 (M, ML)	676	ALL - ALL	B8HS	33- 82372M	BR8HS	N/A	.024
W40 (Marathon)(M, ML)	6F6	ALL - ALL	B7HS	33- 82371M	BR7HS	N/A	.024
K40 (M, ML)	6F5	ALL - ALL	B7HS	33- 82371M	BR7HS	N/A	.024
48 (M, ML)	670	ALL - ALL	B7HS	33- 82371M	BR7HS	N/A	.024
W48 (M,ML)	670 A	ALL - ALL	B7HS	33- 82371M	BR7HS	N/A	.024
55 (M, ML)	663	ALL - ALL	B8HS	33- 82372M	BR8HS	N/A	.024

SPARK PLUGS

Model	SN Code	Serial # Range	Standard Spark Plug Manufacturer's P/N	Standard Spark Plug Mercury P/N	Suppressor(Resistor) Spark Plug Manufacturer's P/N	Suppressor(Resistor) Spark Plug Mercury P/N	Gap
55 (E)	663	00000 - 004040	B8HS	33- 82372M	BR8HS	N/A	.024
55 (EL)	663	00000 - 315378	B8HS	33- 82372M	BR8HS	N/A	.024
55 (E)	663	004041 and up	B8HS-10	N/A	BR8HS-10	33-824406 8	.039
55 (EL)	663	315379 and up	B8HS-10	N/A	BR8HS-10	33-824406 8	.039
W55 (ML)	663	ALL - ALL	B7HS	33- 82371M	BR7HS	N/A	.024
60 (E)	675	000101 - 000780	B8HS	33- 82372M	BR8HS	N/A	.024
60 (EL)	675	300101 - 302050	B8HS	33- 82372M	BR8HS	N/A	.024
60 (E)	675	000781 and up	B8HS-10	N/A	BR8HS-10	33-824406 8	.039
60 (EL)	675	302051 and up	B8HS-10	N/A	BR8HS-10	33-824406 8	.039
60 (E, EL)	6FO	ALL - ALL	B8HS-10	N/A	BR8HS-10	33-824406 8	.039

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.